

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(US-20020194420-\$ or US-20030028749-\$ or US-20030219027-\$ or US-20040098556-\$ or US-20050144416-\$).did. or (US-4392201-\$ or US-4438493-\$ or US-4617624-\$ or US-4720783-\$ or US-4866603-\$ or US-4918587-\$ or US-5371877-\$ or US-5638533-\$ or US-5659695-\$ or US-5659711-\$ or US-5710904-\$ or US-5787047-\$ or US-5796413-\$ or US-5848428-\$ or US-5917506-\$ or US-5953743-\$ or US-5983328-\$ or US-6076136-\$ or US-6415374-\$ or US-6434657-\$ or US-6512716-\$ or US-6571327-\$ or US-6633576-\$ or US-6661794-\$ or US-6665768-\$ or US-6721229-\$).did. or (US-6912173-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/30 08:59
L2	1	((line ADJ card\$1) OR blade\$1) AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:02
L3	17	((line ADJ card\$1) OR blade\$1) SAME (network ADJ processor\$1) SAME microengine\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:09
L4	18	((line ADJ card\$1) OR blade\$1) AND (network ADJ processor\$1) SAME microengine\$1 NOT L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:10
L5	10307	(writ\$3 OR stor\$3 OR sav\$3) near5 (disabl\$3 prohibit\$3 OR disallow\$3 OR inhibit\$3 OR clos\$3) near5 (memory OR bank\$1 OR array\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:31
L6	2484	(711/211,212,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:15
L7	100	L5 AND L6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:15
L8	93	L5 AND L6 AND @ad<"20031229"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:17

L9	1213	(disabl\$3 prohibit\$3 OR disallow\$3 OR inhibit\$3 OR clos\$3) near5 (memory ADJ (bank\$1 OR array\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:17
L10	20	L9 AND L6 AND @ad<"20031229"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:27
L11	26762	(determin\$3 OR decid\$3 OR conclud\$3 OR ascertain\$3 OR detect\$3 OR establish\$3 OR figur\$3) near5 ((data OR block) near3 (writ\$3 OR stor\$3 OR sav\$3) near3 (memory OR bank OR array))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:30
L12	11208	(disabl\$3 prohibit\$3 OR disallow\$3 OR inhibit\$3 OR clos\$3) near5 ((writ\$3 OR stor\$3 OR sav\$3) near5 (memory OR bank\$1 OR array\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:43
L13	244	L11 WITH L12	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:45
L14	4283	(711/218,168,170-173,200).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:32
L15	302	(711/201).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:32
L16	4836	(365/230.01-230.04).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 10:32
L17	8	L13 AND (L6 OR L14 OR L15 OR L16)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:07
L18	290	L11 SAME L12	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:46
L19	2	L18 AND (L6 OR L14 OR L15 OR L16) NOT L17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:46

L20	23740	(count\$3 OR quantit\$3 OR amount\$1 OR volume) near5 (data OR datum OR bit\$1 OR byte\$1) near5 (writ\$3 OR stor\$3 OR sav\$3) near5 (memor\$3 OR RAM OR SRAM OR SDRAM OR DRAM)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:05
L21	67	(count\$3 OR quantit\$3 OR amount\$1 OR volume) near5 (less OR below OR under OR lower OR lesser OR beneath) near5 (writ\$3 OR stor\$3 OR sav\$3) near5 (additional OR extra OR more OR spare OR junk) near3 (data OR datum)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:09
L22	15	L20 WITH L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:30
L23	2	("6408040").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:07
L24	27464	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:22
L25	14	L13 AND (L24) NOT (L17 OT L19)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:46
L26	5	L18 AND (L24) NOT (L17 OR L19 OR L25)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:22
L31	25106	(disabl\$3 OR stop\$4 OR prevent\$3 OR halt\$3 OR restrict\$3 OR prohibit\$3 OR disallow\$3 OR inhibit\$3 OR clos\$3) near5 ((writ\$3 OR stor\$3 OR sav\$3) near5 (memory OR bank\$1 OR array\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:45
L32	545	L11 WITH L31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:45
L33	668	L11 SAME L31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:46
L34	22	L32 AND (L24) NOT (L17 OR L19 OR L25 OR L26)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:47

S1	22	lin-"chang-ming".in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:06
S2	2	"20050144416"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:39
S3	2480	(711/211,212,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:16
S4	4272	(711/218,168,170-173,200).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:16
S5	302	(711/201).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:17
S6	270	address\$3 near5 (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:17
S7	23	S6 AND (S3 OR S4 OR S5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:17
S8	4	("4378591"   "4809161"   "5638533"   "5680567").PN. OR ("6571327"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/24 11:10
S9	3718	(711/211,212,154,157,5).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:16
S10	4546	(711/218,219,168,170-173,200). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:17
S11	302	(711/201).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:17
S12	270	address\$3 near5 (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:08
S13	2483	(711/211,212,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:18

S14	4278	(711/218,168,170-173,200).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:18
S15	302	(711/201).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:18
S16	270	address\$3 near5 (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:18
S17	23	S16 AND (S13 OR S14 OR S15)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:18
S18	27	S12 AND (S9 OR S10 OR S11) NOT S17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:18
S19	14	("4381541"   "4688188"   "4783736"   "5353243"   "5625580"   "5848258"   "5881009").PN. OR ("6076136").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/24 13:47
S20	50	(US-5319395-\$ or US-5877742-\$ or US-5764581-\$ or US-6072185-\$ or US-6237122-\$ or US-6243348-\$ or US-4796260-\$ or US-5430861-\$ or US-5805155-\$ or US-5845292-\$ or US-5930518-\$ or US-6181609-\$ or US-4313160-\$ or US-4455483-\$ or US-4847842-\$ or US-5255383-\$ or US-5321699-\$ or US-5386422-\$ or US-5388074-\$ or US-5469444-\$ or US-5481531-\$ or US-5524234-\$ or US-5524235-\$ or US-5608892-\$ or US-5684774-\$ or US-5797027-\$). did. or (US-5841717-\$ or US-5860111-\$ or US-5917429-\$ or US-6163832-\$ or US-6178121-\$ or US-6233668-\$ or US-4849974-\$ or US-4849976-\$ or US-4855903-\$ or US-4953121-\$ or US-5274782-\$ or US-5280584-\$ or US-5416916-\$ or US-5469551-\$ or US-5477492-\$ or US-5511212-\$ or US-5537577-\$ or US-5561671-\$ or US-5657398-\$ or US-5664149-\$ or US-5742509-\$ or US-5781495-\$ or US-5809273-\$ or US-5818789-\$).did.	USPAT	OR	ON	2006/01/24 14:42

S21	0	S12 AND S20	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:09
S22	4831	(365/230.01-230.04).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/24 15:09
S23	56	S12 AND S22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 18:51
S24	1	(S12 SAME (align\$5 OR misalign\$5)) AND S22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:49
S25	0	S12 AND S22 AND ("network procesor")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 18:51
S27	0	(S18 OR S17) AND ("network procesor")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 18:52
S28	1	(S18 OR S17 OR S23) AND ("network procesor" OR microengine\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 18:52
S29	1	(S18 OR S17 OR S23) AND ((network ADJ procesor\$1) OR microengine\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/24 18:53
S30	4058	(scratchpad OR (scratch ADJ pad)) near5 memor\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 09:56
S31	12716	network ADJ2 processor\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 09:56
S32	2263	(address\$3 near5 (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1 OR word\$1))) OR (((data OR memory) near2 (bank\$1 OR block\$1 OR word\$1)) near5 (align\$3 OR unalign\$3 OR misalign\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:23

S33	25	(US-20020194420-\$ or US-20030028749-\$ or US-20050144416-\$).did. or (US-4438493-\$ or US-4617624-\$ or US-4866603-\$ or US-4918587-\$ or US-5371877-\$ or US-5638533-\$ or US-5659695-\$ or US-5659711-\$ or US-5710904-\$ or US-5787047-\$ or US-5848428-\$ or US-5953743-\$ or US-5983328-\$ or US-6076136-\$ or US-6415374-\$ or US-6434657-\$ or US-6512716-\$ or US-6571327-\$ or US-6633576-\$ or US-6665768-\$ or US-6721229-\$ or US-6912173-\$). did.	US-PGPUB; USPAT	OR	ON	2006/01/26 10:09
S34	1	S33 AND (S30 SAME S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:16
S35	1	S33 AND (S30 AND S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:11
S36	2	S32 AND (S30 SAME S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:17
S37	2	S32 AND (S30 AND S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:23
S38	2362	(address\$3 WITH (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1 OR word\$1))) OR (((data OR memory) near2 (bank\$1 OR block\$1 OR word\$1)) near5 (align\$3 OR unalign\$3 OR misalign\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:23
S39	2	S38 AND (S30 AND S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:24
S40	3239	(address\$3 SAME (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1 OR word\$1))) OR (((data OR memory) near2 (bank\$1 OR block\$1 OR word\$1)) WITH (align\$3 OR unalign\$3 OR misalign\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:24
S41	2	S40 AND (S30 AND S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:25

S42	5793	(address\$3 SAME (even OR odd) near5 (memory ADJ2 (bank\$1 OR block\$1 OR word\$1))) OR (((data OR memory) near2 (bank\$1 OR block\$1 OR word\$1)) SAME (align\$3 OR unalign\$3 OR misalign\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:24
S43	20	S42 AND (S30 AND S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:38
S44	2484	(711/211,212,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:39
S45	4283	(711/218,168,170-173,200).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:39
S46	302	(711/201).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:39
S47	4836	(365/230.01-230.04).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:39
S48	4	(S30 SAME S31) AND (S44 OR S45 OR S46 OR S47)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:34
S49	59	(S30 SAME S31)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 10:40
S50	16	(S30 SAME S31 SAME microengine\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 11:45
S51	2191	(remov\$3 OR ignor\$3 OR delet\$3 OR purg\$3 OR disregard\$3 OR omit\$4 OR negat\$3) near5 bit\$1 near5 address\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 11:56
S52	2	S33 AND S51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:07
S53	4	("64 bit" OR "64 bits") AND S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 13:10

S54	10	("32 bit" OR "32 bits") AND S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:07
S55	23733	(count\$3 OR quantit\$3 OR amount\$1 OR volume) near5 (data OR datum OR bit\$1 OR byte\$1) near5 (writ\$3 OR stor\$3 OR sav\$3) near5 (memor\$3 OR RAM OR SRAM OR SDRAM OR DRAM)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:04
S56	779	S55 AND (S44 OR S45 OR S46 OR S47)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:13
S57	22	S55 AND S32 AND (S44 OR S45 OR S46 OR S47)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 14:13
S58	2	("4392201").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:33
S59	8415	(FIFO OR "first in first out") near5 input	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:53
S60	284	S59 AND S32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:34
S61	22	S59 AND S32 AND (S44 OR S45 OR S46 OR S47)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:54
S62	2	S59 AND S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:35
S63	44	((FIFO OR "first in first out") near5 input) near5 bus near5 (mux\$2 OR multiplex\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 16:22
S64	0	S63 AND S32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:54
S65	1	S63 AND (S44 OR S45 OR S46 OR S47)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 15:54

S66	5	((FIFO OR "first in first out") near5 input) near5 bus near5 (mux\$2 OR multiplex\$3) near5 memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/26 16:22
-----	---	--	--	----	----	------------------